

View Online at <https://aerobasegroup.com/nsn/4820-00-273-8933>

Pipe Size Accommodated:

0.375 inches 2nd end

Thread Class:

2a 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Threaded

Maximum Operating Temp:

425.0 degrees fahrenheit single response

Connection Style:

Plain, optional en (pipe) 2nd end

Valve Operation Method:

Manual

Connection Type:

Threaded internal pipe 2nd end

Features Provided:

Bonnet packing

Maximum Operating Pressure:

200.0 pounds per square inch single response

Thread Size:

0.750 inches 1st end

Seat Angle:

45.0 degrees 1st end

Outside Diameter Tube Accommodated:

0.500 inches 1st end

Material:

Nickel alloy flow control device

Media For Which Designed:

Water-oil-gas 2nd response

Style Designator:

Angle

Test Data Document:

81601-n14739 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0