## NSN 4820-00-273-8933

Angle Valve - Page 1 of 2



Vi

View Online at https://aerobasegroup.com/nsn/4820-00-273-8933
Pipe Size Accommodated:
0.375 inches 2nd end
Thread Class:
2a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Threaded
Maximum Operating Temp:
425.0 degrees fahrenheit single response
Connection Style:
Plain, optional en (pipe) 2nd end
Valve Operation Method:
Manual
Connection Type:
Threaded internal pipe 2nd end
Features Provided:
Bonnet packing
Maximum Operating Pressure:
200.0 pounds per square inch single response
Thread Size:
0.750 inches 1st end
Seat Angle:
45.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.500 inches 1st end
Material:
Nickel alloy flow control device
Media For Which Designed:
Water-oil-gas 2nd response
Style Designator:
Angle
Test Data Document:
81601-n14739 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a

## NSN 4820-00-273-8933

Angle Valve - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A046b0