NSN 4820-00-273-9908

Check Valve - Page 1 of 2

Flow Control Device:

Bolt Hole Quantity:

Renewable Seat Ring Type:

Maximum Operating Temp:

Disk

Threaded

12 all ends



View Online at https://aerobasegroup.com/nsn/4820-00-273-9908

750.0 degrees fahrenheit single response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal
Valve Size:
6.000 inches
Maximum Operating Pressure:
300.0 pounds per square inch single response
Outside Diameter:
12.500 inches all ends
Face To Face Distance:
17.500 inches
Thickness:
1.438 inches all ends
Bolt Hole Diameter:
0.875 inches all ends
Bolt Circle Diameter:
10.625 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.062 inches all ends
Raised Face Diameter:
8.500 inches all ends
Special Features:
Swing check type
Material:
Steel uns j03002 flow control device
Material Specification:
Astm a216 grade wcb assn standard single material response body

NSN 4820-00-273-9908

Check Valve - Page 2 of 2

A530b0



Media For Which Designed:	
Oil 1st response	
Style Designator:	
Straight through flanged ends	
Test Data Document:	
05047-asab16.5 standard (includes industry or association standards, individual manufactureer standards, e	etc.)
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	