## NSN 4820-00-274-3565

Angle Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-274-3565

| Pipe Size Accommodated:                                      |
|--|
| 3.000 inches 1st end   |
| Thread Direction:  |
| Right-hand 1st end   |
| Bonnet Type:   |
| Inside screw   |
| Bonnet Attachment Method:                                    |
| Threaded   |
| Renewable Seat Ring Type:                                    |
| Threaded   |
| Maximum Operating Temp:                                      |
| 425.0 degrees fahrenheit single response                     |
| Connection Style:  |
| Plain, optional en (pipe) 1st end                            |
| Valve Operation Method:                                      |
| Manual   |
| Connection Type:   |
| Threaded internal pipe 1st end                               |
| Features Provided:   |
| Bonnet packing   |
| Thready Qty Per Inch (tpi):                                  |
| 8 1st end  |
| Maximum Operating Pressure:                                  |
| 100.0 pounds per square inch single response                 |
| Thread Size:   |
| 3.000 inches 1st end   |
| Special Features:  |
| Spherical ball or beveled semi-plus type flow control device |
| Material:  |
| Nickel alloy stem  |
| Media For Which Designed:                                    |
| Steam single response  |
| Style Designator:  |
| Angle  |
| Thread Series Designator:                                    |
| Npt 1st end  |
| Specification Or Standard:                                   |
| B type   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 4820-00-274-3565

Angle Valve - Page 2 of 2



| _  |    | •• | • • |     |     |   |    |
|----|----|----|-----|-----|-----|---|----|
| וו | em | ш  | 112 | rız | 211 | n | ٠. |
|    |    |    |     |     |     |   |    |

No

Fiig:

A046b0