## NSN 4820-00-283-9071



Restrictor Check Valve - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4820-00-283-9071 **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end Flow Control Device: **Poppet Disk Loading Method:** Spring **Maximum Operating Temp:** 275.0 degrees fahrenheit single response **Connection Style:** Flareless 2nd end **Valve Operation Method:** Automatic **Connection Type:** Threaded external tube 2nd end **Mounting Position:** Horizontal **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.562 inches 1st end Seat Angle: 12.0 degrees 2nd end Material: Steel comp 303 flow control device **Material Specification:** Qq-a-225/6 federal specification single material response seat Media For Which Designed: Hydraulic fluid, petroleum base single response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625 military specification all treatment responses **Style Designator:** Straight thru **Thread Series Designator:** Unjf 1st end Shelf Life: N/a

**Unit Of Measure:** 

## NSN 4820-00-283-9071

Restrictor Check Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.