NSN 4820-00-287-2796

Globe Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-287-2796

Thread Direction:

Right-hand all ends

Flow Control Device:

Disk

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Union

Renewable Seat Ring Type:

Threaded

Maximum Operating Temp:

550.0 degrees fahrenheit single response

Connection Style:

Plain, optional en (pipe) all ends

Valve Operation Method:

Manual

Connection Type:

Threaded internal pipe all ends

Features Provided:

Bonnet packing

Maximum Operating Pressure:

600.0 pounds per square inch 2nd response

Thread Size:

1.000 inches all ends

Special Features:

Renewable plug type discs are held by a locknut

Material:

Copper alloy 922 flow control device

Material Specification:

Astm b61 assn standard single material response flow control device

Media For Which Designed:

Water-oil-gas 2nd response

Style Designator:

Straight thru

Thread Series Designator:

Npt all ends

Furnished Items And Quantity:

1 handwheel

Shelf Life:

N/a

Unit Of Measure:

NSN 4820-00-287-2796

Globe Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

