## NSN 4820-00-287-3402

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-287-3402

Flow Control Device:						
Stem or disk						
Disk Loading Method:						
Spring						
Bolt Hole Quantity:						
6 1st end						
Maximum Operating Temp:						
650.0 degrees fahrenheit single response						
Valve Operation Method:						
Automatic or manual						
Flange Shape:						
Round with holes 1st end						
Connection Type:						
Flange 1st end						
Features Provided:						
Pressure tight outlet side						
Adjustable Pressure Range:						
+9.0/+11.0 pounds per square inch						
Maximum Operating Pressure:						
150.0 pounds per square inch single response						
Outside Diameter:						
6.125 inches 1st end						
First Connection Face To Centerline Distance:						
6.500 inches						
Bolt Hole Diameter:						
0.562 inches 1st end						
Second Connection Face To Centerline Distance:						
4.625 inches						
Bolt Circle Diameter:						
5.000 inches 1st end						
Flange Face Design:						
Plain 1st end						
Material:						
Steel body						
Media For Which Designed:						
Steam single response						
Style Designator:						
Angle flanged ends						
Furnished Items And Quantity:						
1 sight gage						
Shelf Life:						
N/a						

## NSN 4820-00-287-3402

Safety Relief Valve - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A046b0