

View Online at <https://aerobasegroup.com/nsn/4820-00-287-3829>

**Flow Control Device:**

Disk

**Bonnet Type:**

Outside screw-yoke

**Bonnet Attachment Method:**

Bolted

**Renewable Seat Ring Type:**

Threaded

**Bolt Hole Quantity:**

14 1st end

**Maximum Operating Temp:**

425.0 degrees fahrenheit single response

**Valve Operation Method:**

Manual

**Flange Shape:**

Round with holes 1st end

**Connection Type:**

Flange 1st end

**Features Provided:**

Bonnet packing

**Valve Size:**

9.000 inches

**Maximum Operating Pressure:**

100.0 pounds per square inch single response

**Outside Diameter:**

13.938 inches 1st end

**Thickness:**

0.688 inches 1st end

**First Connection Face To Centerline Distance:**

10.500 inches

**Bolt Hole Diameter:**

0.812 inches 1st end

**Second Connection Face To Centerline Distance:**

10.500 inches

**Bolt Circle Diameter:**

12.375 inches 1st end

**Flange Face Design:**

Plain 1st end

**Material:**

Nickel alloy flow control device

**Media For Which Designed:**

Water-oil-gas single response

**Style Designator:**

Angle flanged ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0