

View Online at <https://aerobasegroup.com/nsn/4820-00-287-3897>

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Needle

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Threaded

**Maximum Operating Temp:**

750.0 degrees fahrenheit 2nd response

**Connection Style:**

Plain, optional en (pipe) all ends

**Valve Operation Method:**

Manual

**Connection Type:**

Threaded internal pipe all ends

**Features Provided:**

Bonnet packing

**Maximum Operating Pressure:**

6000.0 pounds per square inch 1st response

**Thread Size:**

0.250 inches all ends

**Material:**

Steel seat

**Media For Which Designed:**

Water-oil-gas 2nd response

**Surface Treatment:**

Cadmium

**Style Designator:**

Straight thru

**Supplementary Features:**

Item has been reviewed for asbestos material. The current approved sources 97399 have indicated their part number contained asbestos prior to 1984. They continue to manufacture the same part number without asbestos material after 1984

**Thread Series Designator:**

Npt all ends

**Furnished Items And Quantity:**

1 handwheel

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0