NSN 4820-00-287-4264

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-287-4264

Pipe Size Accommodated: 0.500 inches 2nd end **Thread Direction:** Right-hand 1st end Flow Control Device: Poppet **Bonnet Type:** Exposed spring **Bonnet Attachment Method:** Threaded **Disk Loading Method:** Spring **Renewable Seat Ring Type:** Retaining screw Maximum Operating Temp: 550.0 degrees fahrenheit single response **Connection Style:** Plain, optional en (pipe) 1st end Valve Operation Method: Automatic or manual **Connection Type:** Threaded internal pipe 1st end **Features Provided:** Valve stem lock shield and pressure tight outlet side Maximum Operating Pressure: 250.0 pounds per square inch single response **Thread Size:** 0.500 inches 2nd end **Opening Pressure Setting:** 250.0 pounds per square inch Material: Nickel alloy flow control device Media For Which Designed: Steam single response Style Designator: Angle **Thread Series Designator:** Npt 1st end Shelf Life: N/a Unit Of Measure:

NSN 4820-00-287-4264

Safety Relief Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A046b0

