NSN 4820-00-287-4628

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-287-4628

Pipe Size Accommodated:
0.750 inches 2nd end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Threaded
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Threaded
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Pressure tight outlet side
Adjustable Pressure Range:
+3000.0/+3200.0 pounds per square inch
Maximum Operating Pressure:
3250.0 pounds per square inch single response
Thread Size:
0.750 inches 2nd end
Extra Long Reference Number:
4900-984114pc2-3-10-11-22-24-26-27-29-30-32-35
Material:
Nickel alloy seat
Material Specification:
Qq-n-288, compb federal specification single material response seat
Media For Which Designed:
Air single response
Style Designator:
Angle
Thread Series Designator:
Npt 1st end

Reference Number Differentiating Characteristics:

As differentiated by relief pressure setting and elrn

NSN 4820-00-287-4628

Safety Relief Valve - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A046b0

Mil-std (military Standard):

spec.