

View Online at <https://aerobasegroup.com/nsn/4820-00-287-5538>

**Bonnet Type:**

Outside screw-yoke

**Bonnet Attachment Method:**

Bolted

**Renewable Seat Ring Type:**

Threaded

**Bolt Hole Quantity:**

9 1st end

**Maximum Operating Temp:**

650.0 degrees fahrenheit 4th response

**Valve Operation Method:**

Manual

**Flange Shape:**

Round 1st end

**Connection Type:**

Flange 1st end

**Features Provided:**

Bonnet packing

**Valve Size:**

4.000 inches

**Maximum Operating Pressure:**

350.0 pounds per square inch 1st response

**Outside Diameter:**

9.250 inches 1st end

**Face To Face Distance:**

15.000 inches

**Thickness:**

0.938 inches 1st end

**Bolt Hole Diameter:**

0.812 inches 1st end

**Bolt Circle Diameter:**

7.688 inches 1st end

**Flange Face Design:**

Plain 1st end

**Special Features:**

First end style designator: plai (l1) ; end connection quantity: 2; second end relationship with first: identical;

**Material:**

Steel uns j03008 body

**Media For Which Designed:**

Fuel/oil, hydrocarbon 1st response

**Style Designator:**

Straight through flanged ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0