NSN 4820-00-287-6010

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-287-6010

Flow Control Device:
Disk
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Threaded
Bolt Hole Quantity:
4 all ends
Maximum Operating Temp:
450.0 degrees fahrenheit 1st response
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Mounting Position:
Horizontal or vertical
Valve Size:
3.000 inches
Maximum Operating Pressure:
200.0 pounds per square inch 2nd response
Outside Diameter:
7.500 inches all ends
Face To Face Distance:
9.500 inches
Thickness:
0.750 inches all ends
Bolt Hole Diameter:
0.750 inches all ends
Bolt Circle Diameter:
6.000 inches all ends
Flange Face Design:
Plain all ends
Material:
Iron cast uns f12102 body
Material Specification:
Astm b-6 (b) assn standard single material response flow control device
Media For Which Designed:
Water-oil-gas 2nd response
Style Designator:
Straight through flanged ends

NSN 4820-00-287-6010

Check Valve - Page 2 of 2



-			
٠.	hΔ	Iŧ.	ife:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0