

View Online at <https://aerobasegroup.com/nsn/4820-00-287-6078>

Thread Direction:

Right-hand 1st end

Flow Control Device:

Disk

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Bolted

Disk Loading Method:

Spring

Bolt Hole Quantity:

4 2nd end

Maximum Operating Temp:

406.0 degrees fahrenheit single response

Connection Style:

Plain, optional en (pipe) 1st end

Valve Operation Method:

Automatic

Flange Shape:

Round with holes 2nd end

Connection Type:

Threaded internal pipe 1st end

Features Provided:

Pressure tight outlet side

Adjustable Pressure Range:

+13.0/+20.0 pounds per square inch

Maximum Operating Pressure:

100.0 pounds per square inch single response

Thread Size:

1.250 inches 1st end

Outside Diameter:

4.250 inches 2nd end

Thickness:

0.475 inches 2nd end

Bolt Hole Diameter:

0.562 inches 2nd end

Bolt Circle Diameter:

3.125 inches 2nd end

Flange Face Design:

Plain 2nd end

Special Features:

W/lifting lever

Material:

Copper alloy

Media For Which Designed:

Steam single response

Style Designator:

Angle

Thread Series Designator:

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A046b0