## 105



m/nsn/4820-00-287-6105

<b>NSN 4820-00-287-6105</b> Check Valve - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/
Thread Class:
3a all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Ball
Disk Loading Method:
Spring
Maximum Operating Temp:
350.0 degrees fahrenheit 2nd response
Connection Style:
Flared (tube) all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube all ends
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
20 1st end
Maximum Operating Pressure:
450.0 pounds per square inch single response
Thread Size:
0.438 inches all ends
Seat Angle:
<b>J</b>
33.0 degrees 1st end
-

**Outside Diameter Tube Accommodated:** 

0.250 inches 1st end

Material:

Stainless steel flow control device

## Media For Which Designed:

Fuel/oil, hydrocarbon single response

Style Designator:

Straight thru

**Thread Series Designator:** 

Unf all ends

Shelf Life:

N/a

Unit Of Measure:

## NSN 4820-00-287-6105

Check Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A530b0

