NSN 4820-00-288-6886

Safety Relief Valve - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/4820-00-288-6886

Flow Control Device:	
Poppet	
Bonnet Type:	
Inside spring	
Bonnet Attachment Method:	
Bolted	
Bolt Hole Quantity:	
8 1st end	
Valve Operation Method:	
Air	
Flange Shape:	
Round 2nd end	
Connection Type:	
Flange 1st end	
Valve Size:	
2.625 inches	
Power Drive Operating Pressure:	
634.0 pounds per square inch	
Outside Diameter:	
7.562 inches 2nd end	
Thickness:	
1.000 inches 1st end	
First Connection Face To Centerline Distance:	
5.500 inches	
Bolt Hole Diameter:	
0.687 inches 1st end	
Second Connection Face To Centerline Distance:	
5.062 inches	
Bolt Circle Diameter:	
5.000 inches 1st end	
Flange Face Design:	
Plain 2nd end	
Raised Face Height:	
0.250 inches 2nd end	
Raised Face Diameter:	
4.250 inches 1st end	
Material:	
Stainless steel stem	
Style Designator:	
Angle flanged ends	
Reference Number Differentiating Characteristics:	
Right hand valve	

NSN 4820-00-288-6886

Safety Relief Valve - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0

