NSN 4820-00-288-7295

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-288-7295 Flow Control Device: Disk **Bonnet Type:** Inside spring **Bonnet Attachment Method: Bolted Disk Loading Method:** Spring **Bolt Hole Quantity:** 4 all ends **Maximum Operating Temp:** 425.0 degrees fahrenheit single response **Valve Operation Method:** Automatic Flange Shape: Round with holes all ends **Connection Type:** Flange all ends Valve Size: 1.000 inches Adjustable Pressure Range: +36.0/+55.0 pounds per square inch **Maximum Operating Pressure:** 125.0 pounds per square inch single response **Outside Diameter:** 4.250 inches all ends Thickness: 0.438 inches all ends

First Connection Face To Centerline Distance:
3.250 inches
Bolt Hole Diameter:
0.562 inches all ends
Second Connection Face To Centerline Distance
3.250 inches
Bolt Circle Diameter:
3.125 inches all ends
Flange Face Design:
Plain all ends
Special Features:
W/lifting lever
Material:
Nickel alloy flow control device

NSN 4820-00-288-7295

Safety Relief Valve - Page 2 of 2



Media For Which Designe

Steam single response

Style Designator:

Angle flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0