

View Online at <https://aerobasegroup.com/nsn/4820-00-288-7836>

**Pipe Size Accommodated:**

0.500 inches 2nd end

**Thread Direction:**

Right-hand 1st end

**Flow Control Device:**

Poppet

**Bonnet Type:**

Inside spring

**Bonnet Attachment Method:**

Threaded

**Disk Loading Method:**

Spring

**Valve Discharge Flow Rate:**

274.0 pounds per hour

**Renewable Seat Ring Type:**

Threaded

**Maximum Operating Temp:**

450.0 degrees fahrenheit single response

**Connection Style:**

Plain, optional en (pipe) 1st end

**Valve Operation Method:**

Automatic or manual

**Connection Type:**

Threaded internal pipe 1st end

**Features Provided:**

Valve stem lock shield and bonnet packing and pressure tight outlet side

**Adjustable Pressure Range:**

+76.0/+175.0 pounds per square inch

**Maximum Operating Pressure:**

250.0 pounds per square inch single response

**Thread Size:**

0.500 inches 2nd end

**Material:**

Steel stem

**Material Specification:**

Qq-c-390, alloyd4/d/ federal specification single material response body

**Media For Which Designed:**

Steam single response

**Style Designator:**

Angle

**Thread Series Designator:**

Npt 1st end

**Reference Number Differentiating Characteristics:**

As differentiated by valve size and relief pressure range

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0