NSN 4820-00-289-0856

Safety Relief Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-289-0856

Pipe Size Accommodated:
0.750 inches all ends
Flow Control Device:
Disk
Bonnet Type:
Inside screw
Bonnet Attachment Method:
Integral
Disk Loading Method:
Spring
Renewable Seat Ring Type:
Threaded
Maximum Operating Temp:
125.0 degrees fahrenheit single response
Connection Style:
Socket err-100
Valve Operation Method:
Automatic or manual
Connection Type:
Unthreaded internal pipe all ends
Features Provided:
Pressure tight outlet side
Adjustable Pressure Range:
Adjustable Pressure Range: +20.0/+60.0 pounds per square inch
+20.0/+60.0 pounds per square inch
+20.0/+60.0 pounds per square inch Maximum Operating Pressure:
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material:
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed:
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response Style Designator:
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response Style Designator: Angle
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response Style Designator: Angle Shelf Life:
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response Style Designator: Angle Shelf Life: N/a
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response Style Designator: Angle Shelf Life: N/a
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response Style Designator: Angle Shelf Life: N/a Unit Of Measure:
+20.0/+60.0 pounds per square inch Maximum Operating Pressure: 100.0 pounds per square inch single response Material: Nickel alloy seat Media For Which Designed: Water, fresh single response Style Designator: Angle Shelf Life: N/a Unit Of Measure: Demilitarization: