NSN 4820-00-289-3770

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-289-3770

Pipe Size Accommodated:
1.000 inches 1st end
Flow Control Device:
Disk
Disk Loading Method:
Spring
Bolt Hole Quantity:
4 2nd end
Maximum Operating Temp:
425.0 degrees fahrenheit single response
Connection Style:
Socket err-100
Valve Operation Method:
Manual
Flange Shape:
Round with holes 2nd end
Connection Type:
Unthreaded internal pipe 1st end
Adjustable Pressure Range:
+10.0/+24.0 pounds per square inch
Maximum Operating Pressure:
100.0 pounds per square inch single response
Outside Diameter:
4.250 inches 2nd end
Thickness:
0.437 inches 2nd end
Bolt Hole Diameter:
0.562 inches 2nd end
Bolt Circle Diameter:
3.125 inches 2nd end
Flange Face Design:
Plain 2nd end
Special Features:
W/lifting lever
Material:
Nickel alloy stem
Media For Which Designed:
Steam single response
Style Designator:
Angle
Shelf Life:
N/a

NSN 4820-00-289-3770

Safety Relief Valve - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A046b0