NSN 4820-00-289-3784

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-289-3784

Flow Control Device:
Disk
Disk Loading Method:
Spring
Bolt Hole Quantity:
3 all ends
Valve Operation Method:
Automatic
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
0.500 inches
Adjustable Pressure Range:
+18.0/+32.0 pounds per square inch
Maximum Operating Pressure:
200.0 pounds per square inch single response
Outside Diameter:
3.562 inches all ends
Thickness:
0.375 inches all ends
First Connection Face To Centerline Distance:
3.250 inches
Bolt Hole Diameter:
0.562 inches all ends
Second Connection Face To Centerline Distance:
3.000 inches
Bolt Circle Diameter:
2.438 inches all ends
Flange Face Design:
Plain all ends
Special Features:
W/lifting lever
Material:
Stainless steel stem
Style Designator:
Angle flanged ends
Reference Number Differentiating Characteristics:
As differentiated by first end connection type
Shelf Life:
N/a

NSN 4820-00-289-3784

Safety Relief Valve - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A046b0