

View Online at <https://aerobasegroup.com/nsn/4820-00-289-3830>

**Flow Control Device:**

Disk

**Bonnet Type:**

Exposed spring

**Bonnet Attachment Method:**

Bolted

**Disk Loading Method:**

Spring

**Valve Discharge Flow Rate:**

185.0 pounds per hour

**Renewable Seat Ring Type:**

Welded

**Bolt Hole Quantity:**

4 all ends

**Maximum Operating Temp:**

775.0 degrees fahrenheit single response

**Valve Operation Method:**

Automatic or manual

**Flange Shape:**

Round with holes all ends

**Connection Type:**

Flange all ends

**Adjustable Pressure Range:**

+10.0/+30.0 pounds per square inch

**Maximum Operating Pressure:**

150.0 pounds per square inch single response

**Outside Diameter:**

4.500 inches all ends

**Thickness:**

0.438 inches all ends

**First Connection Face To Centerline Distance:**

3.250 inches

**Bolt Hole Diameter:**

0.562 inches all ends

**Second Connection Face To Centerline Distance:**

3.000 inches

**Bolt Circle Diameter:**

3.125 inches all ends

**Flange Face Design:**

Raised with curve and radius all ends

**Material:**

Steel body

**Media For Which Designed:**

Steam single response

**Style Designator:**

Angle flanged ends

**Specification Or Standard:**

1 type and d composition

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A046b0