

View Online at <https://aerobasegroup.com/nsn/4820-00-289-4346>

Flow Control Device:

Disk

Bonnet Type:

Exposed spring

Bonnet Attachment Method:

Bolted

Disk Loading Method:

Spring

Bolt Hole Quantity:

4 1st end

Maximum Operating Temp:

650.0 degrees fahrenheit single response

Valve Operation Method:

Automatic or manual

Flange Shape:

Round with holes 1st end

Connection Type:

Flange 1st end

Adjustable Pressure Range:

+18.0/+32.0 pounds per square inch

Maximum Operating Pressure:

150.0 pounds per square inch single response

Outside Diameter:

4.250 inches 1st end

Thickness:

0.500 inches 1st end

First Connection Face To Centerline Distance:

3.562 inches

Bolt Hole Diameter:

0.562 inches 1st end

Second Connection Face To Centerline Distance:

4.688 inches

Bolt Circle Diameter:

3.125 inches 1st end

Flange Face Design:

Raised straight 1st end

Raised Face Height:

0.062 inches 1st end

Raised Face Diameter:

2.000 inches 1st end

Material:

Stainless steel stem

Media For Which Designed:

Steam single response

Style Designator:

Angle flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0