NSN 4820-00-289-4389

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-289-4389

Pipe Size Accommodated: 0.375 inches 2nd end Thread Class: 3a 1st end Thread Direction: Right-hand 1st end **Flow Control Device:** Disk **Bonnet Type:** Inside spring **Bonnet Attachment Method:** Integral **Disk Loading Method:** Spring Maximum Operating Temp: 180.0 degrees fahrenheit single response **Connection Style:** Plain (pipe) 2nd end Valve Operation Method: Automatic **Connection Type:** Threaded external tube 1st end **Features Provided:** Pressure tight outlet side Thready Qty Per Inch (tpi): 18 2nd end Adjustable Pressure Range: +10.0/+50.0 pounds per square inch Maximum Operating Pressure: 450.0 pounds per square inch single response **Thread Size:** 0.750 inches 1st end Seat Angle: 45.0 degrees 1st end **Outside Diameter Tube Accommodated:** 0.500 inches 1st end Material: Stainless steel flow control device Media For Which Designed: Water-oil-gas single response Style Designator: Angle

NSN 4820-00-289-4389

Safety Relief Valve - Page 2 of 2



Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A046b0