

View Online at <https://aerobasegroup.com/nsn/4820-00-293-7694>

Pipe Size Accommodated:

4.000 inches 1st end

Flow Control Device:

Disk

Bonnet Type:

Outside screw-yoke

Bonnet Attachment Method:

Threaded

Renewable Seat Ring Type:

Threaded

Bolt Hole Quantity:

8 2nd end

Connection Style:

Socket err-100

Valve Operation Method:

Manual

Flange Shape:

Round with holes 2nd end

Connection Type:

Unthreaded internal pipe 1st end

Mounting Facility:

Threaded fastener

Valve Size:

3.000 inches

Maximum Operating Pressure:

400.0 pounds per square inch single response

Outside Diameter:

7.688 inches 2nd end

Thickness:

0.500 inches 2nd end

First Connection Face To Centerline Distance:

8.000 inches

Bolt Hole Diameter:

0.562 inches 2nd end

Second Connection Face To Centerline Distance:

6.250 inches

Bolt Circle Diameter:

6.562 inches 2nd end

Flange Face Design:

Plain 2nd end

Material:

Nickel alloy stem

Style Designator:

Angle flanged ends

Reference Number Differentiating Characteristics:

As differentiated by end connections

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0