NSN 4820-00-297-0088

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-297-0088

Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
3000.0 degrees fahrenheit single response
Connection Style:
Flared (tube) 2nd end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 2nd end
Mounting Position:
Horizontal
Thread Size:
0.438 inches 1st end
Seat Angle:
37.0 degrees 2nd end
Outside Diameter Tube Accommodated:
0.188 inches 2nd end
Material:
Steel comp 303 body
Material Specification:
Qq-s-764, type 303-canceled federal specification single material response body
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Style Designator:
Straight thru
Thread Series Designator:
vaaa vovo 2 vo.ga.v
Unf 2nd end
-
Unf 2nd end
Unf 2nd end Shelf Life:
Unf 2nd end Shelf Life: N/a
Unf 2nd end Shelf Life: N/a
Unf 2nd end Shelf Life: N/a Unit Of Measure:

A530b0

NSN 4820-00-297-0088

Check Valve - Page 2 of 2



Mil-std (military Standard):

Mil-r-25897 spec.