

View Online at <https://aerobasegroup.com/nsn/4820-00-300-6933>

Flow Control Device:

Stem

Bonnet Type:

Inside screw

Bonnet Attachment Method:

Bolted

Bolt Hole Quantity:

4 all ends

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Width:

4.500 inches all ends

Length:

4.500 inches all ends

Valve Operation Method:

Manual

Flange Shape:

Rectangular with holes all ends

Connection Type:

Flange all ends

Valve Size:

2.000 inches

Maximum Operating Pressure:

400.0 pounds per square inch single response

Face To Face Distance:

10.750 inches

Thickness:

0.875 inches all ends

Bolt Hole Diameter:

0.688 inches all ends

Center To Center Distance Between Bolt Holes Along Length:

3.062 inches all ends

Center To Center Distance Between Bolt Holes Along Width:

3.062 inches all ends

Flange Face Design:

Recessed with gasket groove 1st end

Raised Face Height:

0.156 inches 2nd end

Raised Face Diameter:

3.250 inches 2nd end

Recess Diameter:

3.281 inches 1st end

Recess Depth:

0.125 inches 1st end

Material:

Iron

Media For Which Designed:

Refrigerant, halogenated single response

Style Designator:

Straight through flanged ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0