NSN 4820-00-306-1234

Globe-check Valve - Page 1 of 2

Flow Control Device:

Bolt Hole Quantity:

Bonnet Attachment Method:

Bonnet Type: Inside screw

Threaded

Disk



View Online at https://aerobasegroup.com/nsn/4820-00-306-1234

4 all ends
Valve Operation Method:
Manual
Flange Shape:
Round with holes all ends
Connection Type:
Flange all ends
Valve Size:
1.500 inches
Maximum Operating Pressure:
1500.0 pounds per square inch single response
Outside Diameter:
7.000 inches all ends
Face To Face Distance:
14.375 inches
Thickness:
1.250 inches all ends
Bolt Hole Diameter:
1.125 inches all ends
Bolt Circle Diameter:
4.875 inches all ends
Flange Face Design:
Raised straight all ends
Raised Face Height:
0.250 inches all ends
Raised Face Diameter:
2.875 inches all ends
Special Features:
End flanges welded on
Material:
Steel body
Style Designator:
Straight through y-pattern flanged ends
Furnished Items And Quantity:
1 handwheel

NSN 4820-00-306-1234

Globe-check Valve - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A530b0