NSN 4820-00-332-8260

Lift-check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-332-8260

Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Disk
Disk Loading Method:
Spring
Maximum Operating Temp:
160.0 degrees fahrenheit single response
Connection Style:
Gasket seal (boss) 1st end
Connection Type:
Threaded internal tube 1st end
Mounting Facility:
Threaded fastener
Mounting Position:
Horizontal
Thready Qty Per Inch (tpi):
18 1st end
Maximum Operating Pressure:
1500.0 pounds per square inch single response
Thread Size:
0.562 inches 1st end
Seat Angle:
45.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.375 inches 1st end
Special Features:
0.250 in. Stroke for reverse flow right hand body
Material:
Steel seat
Media For Which Designed:
Hydraulic fluid, phosphate-ester base single response
Surface Treatment:
Anodize
Style Designator:
Angle
Supplementary Features:
Optional flow control device: stem
Thread Series Designator:
Unf 1st end

NSN 4820-00-332-8260

Lift-check Valve - Page 2 of 2



	L -	11		ife	_
3	ne	п	_	пе	Ξ

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A530b0