

View Online at <https://aerobasegroup.com/nsn/4820-00-341-3906>

**Flow Control Device:**

Disk

**Disk Loading Method:**

Spring

**Bolt Hole Quantity:**

4 1st end

**Maximum Operating Temp:**

450.0 degrees fahrenheit 2nd response

**Connection Style:**

Beaded (hose) 2nd end

**Width:**

1.820 inches 1st end

**Length:**

1.830 inches 1st end

**Valve Operation Method:**

Automatic

**Flange Shape:**

Rectangular with holes 1st end

**Connection Type:**

Unthreaded external hose 2nd end

**Mounting Position:**

Horizontal or vertical

**Maximum Operating Pressure:**

36.0 pounds per square inch single response

**Thickness:**

0.255 inches 1st end

**Bolt Hole Diameter:**

0.220 inches 1st end

**Center To Center Distance Between Bolt Holes Along Length:**

1.325 inches 1st end

**Center To Center Distance Between Bolt Holes Along Width:**

1.325 inches 1st end

**Flange Face Design:**

Recessed straight 1st end

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-225/6, alloy 2024, t851 federal specification single material response

**Media For Which Designed:**

Air single response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:**

Straight thru

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A530b0

**Mil-std (military Standard):**

Mil-a-8625 spec.