

View Online at <https://aerobasegroup.com/nsn/4820-00-344-4712>

Thread Class:

3a 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Poppet

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Integral

Disk Loading Method:

Spring

Maximum Operating Temp:

140.0 degrees fahrenheit 2nd response

Minimum Operating Temp:

-40.0 degrees fahrenheit

Connection Style:

External seat for gasket seal (boss) 1st end

Valve Operation Method:

Automatic

Connection Type:

Threaded external boss 1st end

Maximum Operating Pressure:

200.0 pounds per square inch 1st response

Thread Size:

0.562 inches 1st end

Opening Pressure Setting:

4.7 pounds per square inch

Outside Diameter Tube Accommodated:

0.375 inches 1st end

Material:

Aluminum alloy 2024 body

Material Specification:

Qq-a-225/6, alloy2024, t4 federal specification 1st material response flow control device

Media For Which Designed:

Air 1st response

Surface Treatment:

Anodize

Style Designator:

Straight through w/baffle

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0