

View Online at <https://aerobasegroup.com/nsn/4820-00-353-7642>

Flow Control Device:

Disk

Disk Loading Method:

Spring

Bolt Hole Quantity:

4 2nd end

Width:

4.010 inches 1st end

Length:

4.010 inches 2nd end

Valve Operation Method:

Automatic

Flange Shape:

Rectangular with holes 1st end

Connection Type:

Flange 1st end

Mounting Position:

Horizontal or vertical

Maximum Operating Pressure:

120.0 pounds per square inch single response

Face To Face Distance:

3.865 inches

Thickness:

0.185 inches 2nd end

Bolt Hole Diameter:

0.265 inches 2nd end

Center To Center Distance Between Bolt Holes Along Length:

3.250 inches 2nd end

Center To Center Distance Between Bolt Holes Along Width:

3.250 inches 1st end

Flange Face Design:

Plain 2nd end

Material:

Aluminum alloy 384.0

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2 military specification single treatment response

Style Designator:

Straight thru

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.