NSN 4820-00-356-1040

Butterfly Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-356-1040

Maximum Operating Temp:
160.0 degrees fahrenheit single response
Connection Style:
Plain (tube) 1st end
Valve Operation Method:
Automatic
Flange Shape:
Round 2nd end
Connection Type:
Unthreaded external tube 1st end
Maximum Operating Pressure:
10.0 pounds per square inch single response
Outside Diameter:
5.995 inches 2nd end
Thickness:
0.060 inches 2nd end
Flange Face Design:
Raised straight 2nd end
Raised Face Height:
0.030 inches 2nd end
Raised Face Diameter:
5.892 inches 2nd end
Outside Diameter Tube Accommodated:
5.875 inches 1st end
Material:
Stainless steel stem
Media For Which Designed:
Air single response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Straight thru
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig:

A046b0

NSN 4820-00-356-1040

Butterfly Valve - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.