## NSN 4820-00-372-3779

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-372-3779 **Thread Class:** 3a all ends **Thread Direction:** Right-hand all ends Flow Control Device: **Poppet Maximum Operating Temp:** 450.0 degrees fahrenheit 2nd response **Connection Style:** External seat for gasket seal (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded external boss all ends **Mounting Position:** Horizontal Thready Qty Per Inch (tpi): 20 all ends **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.563 inches 1st end Material: Steel comp 630 seat **Material Specification:** Ams 5643 assn standard single material response seat Media For Which Designed: Hydraulic fluid, mineral base single response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-s-5002 military specification single treatment response **Style Designator:** Straight thru **Thread Series Designator:** 

Unjs 1st end Shelf Life: N/a **Unit Of Measure: Demilitarization:** Yes - demil/mli

## NSN 4820-00-372-3779

Check Valve - Page 2 of 2



Fiig:

A530b0

Mil-std (military Standard):

Mil-s-5002 spec.