NSN 4820-00-372-5282

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-372-5282

Thread Class:
3a all ends
Thread Direction:
Right-hand all ends
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
Flareless all ends
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube all ends
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
20 1st end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.438 inches all ends
Seat Angle:
12.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.250 inches 1st end
Material:
Steel comp 630 seat
Material Specification:
Qq-a-225/8, alloy 6061, t6 federal specification single material response flow control device
Media For Which Designed:
Hydraulic fluid, mineral base single response
Surface Treatment:
Passivate
Style Designator:
Straight thru
Thread Series Designator:
Unjf all ends
Shelf Life:
N/a

NSN 4820-00-372-5282

Check Valve - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A530b0