NSN 4820-00-372-5282

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-372-5282

Thread Class:
3a all ends
Thread Direction:
Right-hand all ends
Flow Control Device:

Poppet

Disk Loading Method:

Spring

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Connection Style:

Flareless all ends

Valve Operation Method:

Automatic

Connection Type:

Threaded external tube all ends

Mounting Position:

Horizontal or vertical

Thready Qty Per Inch (tpi):

20 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.438 inches all ends

Seat Angle:

12.0 degrees 1st end

Outside Diameter Tube Accommodated:

0.250 inches 1st end

Material:

Steel comp 630 seat

Material Specification:

Qq-a-225/8, alloy 6061, t6 federal specification single material response flow control device

Media For Which Designed:

Hydraulic fluid, mineral base single response

Surface Treatment:

Passivate

Style Designator:

Straight thru

Thread Series Designator:

Unjf all ends

Shelf Life:

N/a

NSN 4820-00-372-5282

Check Valve - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A530b0

