

View Online at <https://aerobasegroup.com/nsn/4820-00-399-5365>

Body Material:

Cres, ams 5343

Outside Surface Treatment:

Passivated

Body Style:

Straight thru

Media For Which Designed:

Air

First End Connection Type:

Threaded external tube

First End Style Designator:

Flared

First End Outside Diameter Tube Accommodated:

0.500 inches

First End Thread Size And Series/type Designator:

3/4-16 unf

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Relationship With First End:

Identical

Third End Relationship With Preceding Ends:

Identical with first end

Seat Material:

Steel, qq-s-763

First End Seat Angle In Deg:

37.0

Packing Material:

Any acceptable

Flow Control Device:

Poppet

Flow Control Device Material:

Plastic

End Connection Quantity:

3

Renewable Seat Ring Type:

Any acceptable

Outlet Pressure Range:

+10.0 to 12.0 pounds per square inch

Regulation Type:

Automatic single stage

Valve Stem Design:

Single seat

Valve Loading Method:

Spring

Remote Actuation Method:

Diaphragm

Maximum Inlet Pressure Rating:

165.0 pounds per square inch

Outlet Pressure Accuracy Rating:

Not rated

Filter:

Not included

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A21100