

View Online at <https://aerobasegroup.com/nsn/4820-00-406-0086>

**Body Material:**

Steel, astm a216, grade wcb

**First End Flange Outside Diameter:**

5.000 inches

**Body Style:**

Straight thru

**First End Connection Type:**

Raised face flange

**First End Style Designator:**

Raised

**First End Raised Face Height:**

Between 0.062 inches and 0.093 inches

**First End Raised Face Diameter:**

2.875 inches

**First End Flange Shape Style:**

Round w/ bolt holes

**First End Flange Thickness:**

Between 0.500 inches and 0.594 inches

**First End Bolt Hole Quantity:**

4

**First End Bolt Hole Diameter:**

0.625 inches

**First End Bolt Circle Diameter:**

3.875 inches

**Second End Relationship With First End:**

Identical

**Seat Material:**

Rod, welding, surfacing, mil-r-17131, type mil-rcocr-a

**Face To Face Distance:**

Between 8.313 inches and 8.437 inches

**Flow Control Device:**

Disk, bottom guided

**Flow Control Device Material:**

Steel, corrosion resisting a276 type 420 mfr 81346

**End Connection Quantity:**

2

**Two-way Valve Action:**

Direct acting

**Capillary Tube Length:**

240.000 inches

**Bulb Length:**

Between 14.187 inches and 14.437 inches

**Bulb Diameter:**

1.000 inches

**Bulb Material:**

Steel, corrosion resisting

**Temperature Adjustability:**

Adjustable

**Thermostatic Element:**

Liquid immersion type

**Temperature Rating:**

Between 100.0 degrees fahrenheit and 250.0 degrees fahrenheit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A21100