## NSN 4820-00-407-6449

Ball Valve - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4820-00-407-6449

| Pipe Size Accommodated:   |
|---|
| 1.000 inches 1st end  |
| Thread Direction:   |
| Right-hand 1st end  |
| Bonnet Type:  |
| Inside screw  |
| Bonnet Attachment Method:   |
| Integral  |
| Maximum Operating Temp:   |
| 850.0 degrees fahrenheit single response  |
| Connection Style:   |
| Plain, optional en (pipe) 1st end   |
| Valve Operation Method:   |
| Manual  |
| Connection Type:  |
| Threaded internal pipe 1st end  |
| Thready Qty Per Inch (tpi):   |
| 11-1/2 1st end  |
| Maximum Operating Pressure:   |
| 1500.0 pounds per square inch single response   |
| Thread Size:  |
| 1.000 inches 1st end  |
| Material:   |
| Rubber seat   |
| Media For Which Designed:   |
| Water-oil-gas single response   |
| Style Designator:   |
| Straight thru   |
| Test Data Document:   |
| 97403-13207e9044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)                     |
| Thread Series Designator:   |
| Npt 1st end   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A046b0  |