

View Online at <https://aerobasegroup.com/nsn/4820-00-421-5935>

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Poppet

Bonnet Type:

Inside spring

Bonnet Attachment Method:

Threaded

Disk Loading Method:

Spring

Valve Discharge Flow Rate:

85.0 gallons per minute

Maximum Operating Temp:

160.0 degrees fahrenheit single response

Connection Style:

Gasket sea (boss) 1st end

Valve Operation Method:

Automatic

Connection Type:

Threaded internal boss 1st end

Thready Qty Per Inch (tpi):

18 1st end

Maximum Operating Pressure:

150.0 pounds per square inch single response

Thread Size:

0.562 inches 1st end

Outside Diameter Tube Accommodated:

0.375 inches 1st end

Material:

Aluminum alloy

Media For Which Designed:

Oil, hydraulic single response

Special Test Features:

Vibration frequency range shall be 5 to 500 hz

Style Designator:

Angle

Test Data Document:

81349-mil-std-202d standard (includes industry or association standards, individual manufactureer standards, etc.).

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0