

View Online at <https://aerobasegroup.com/nsn/4820-00-428-3097>

**Thread Direction:**

Right-hand all ends

**Flow Control Device:**

Needle

**Bonnet Type:**

Inside screw

**Bonnet Attachment Method:**

Threaded

**Maximum Operating Temp:**

150.0 degrees fahrenheit single response

**Connection Style:**

Plain, optional en (pipe) all ends

**Valve Operation Method:**

Manual

**Connection Type:**

Threaded internal pipe all ends

**Features Provided:**

Bonnet packing

**Thready Qty Per Inch (tpi):**

18 1st end

**Maximum Operating Pressure:**

5000.0 pounds per square inch single response

**Thread Size:**

0.375 inches all ends

**Material:**

Steel comp 416 stem

**Material Specification:**

Aisi 416 assn standard single material response stem

**Media For Which Designed:**

Water-oil-gas single response

**Style Designator:**

Straight thru

**Supplementary Features:**

This item has been reviewed for asbestos material. The current approved source, 36346, has indicated their part number contained asbestos prior to 1984. They continue to manufacture the same part number without asbestos material after 1984

**Thread Series Designator:**

Npt all ends

**Reference Number Differentiating Characteristics:**

Differentiated byend connections

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A046b0