NSN 4820-00-431-6186

Check Valve - Page 1 of 2

Thread Class: 3a 1st end

Poppet

Thread Direction:
Right-hand 1st end
Flow Control Device:



View Online at https://aerobasegroup.com/nsn/4820-00-431-6186

Disk Loading Method:
Spring
Maximum Operating Temp:
500.0 degrees fahrenheit single response
End Application:
F-14a aircraft
Connection Style:
Flared (tube) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
16 1st end
Thread Size:
0.750 inches 1st end
Seat Angle:
37.0 degrees 1st end
Criticality Code Justification:
Feat
Outside Diameter Tube Accommodated:
0.500 inches 1st end
Special Features:
Weapon system essential
Material:
Aluminum alloy 2024 body lining
Media For Which Designed:
Air single response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Straight thru

NSN 4820-00-431-6186

Check Valve - Page 2 of 2



Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
A.1
No
No Filg:

Mil-std (military Standard):

Mil-a-8625 spec.