## NSN 4820-00-433-3832

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-433-3832

## Thread Class:

3b all ends

**Thread Direction:** 

Right-hand all ends

## Flow Control Device:

Poppet

#### **Disk Loading Method:**

Spring

#### Maximum Operating Temp:

160.0 degrees fahrenheit single response

#### **Connection Style:**

Gasket seal (boss) all ends

#### Valve Operation Method:

Automatic

#### **Connection Type:**

Threaded internal boss all ends

**Mounting Position:** 

Horizontal or vertical

#### Maximum Operating Pressure:

3000.0 pounds per square inch single response

#### **Thread Size:**

0.438 inches all ends

#### **Special Features:**

1.2 gpm rated flow capacity

Material:

Stainless steel flow control device

#### Media For Which Designed:

Hydraulic fluid, petroleum base single response

#### Style Designator:

Straight thru

#### **Test Data Document:**

81349-mil-v-5524 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### Thread Series Designator:

Unf all ends

**Specification Or Standard:** 

C style and 3000 class

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

# NSN 4820-00-433-3832

Check Valve - Page 2 of 2

Fiig: A530b0

