NSN 4820-00-433-8566

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-433-8566
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
End Application:
F-14 aircraft
Connection Style:
Flareless 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
16 2nd end
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
1.000 inches 2nd end
Seat Angle:
12.0 degrees 1st end
Criticality Code Justification:
Feat
Outside Diameter Tube Accommodated:
0.625 inches 1st end
Special Features:
Weapon system essential
Material:
Steel comp 630 seat
Media For Which Designed:
Hydraulic fluid, silicate-ester base single response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Style Designator:

Straight thru

NSN 4820-00-433-8566

Check Valve - Page 2 of 2



Thread Series Designator:	
Unj 2nd end	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
No Fiig:	

Mil-std (military Standard):

Mil-s-5002 spec.