## NSN 4820-00-439-6931

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-439-6931 **Thread Class:** 3b all ends **Thread Direction:** Right-hand all ends Flow Control Device: Piston **Disk Loading Method:** Spring **Valve Discharge Flow Rate:** 2.0 gallons per minute **Maximum Operating Temp:** 160.0 degrees fahrenheit single response **Connection Style:** Gasket sea (boss) all ends **Valve Operation Method:** Automatic **Connection Type:** Threaded internal boss all ends Thready Qty Per Inch (tpi): 20 all ends **Maximum Operating Pressure:** 3300.0 pounds per square inch single response **Thread Size:** 0.437 inches all ends Seat Angle: 45.0 degrees all ends **Opening Pressure Setting:** 65.0 pounds per square inch **Outside Diameter Tube Accommodated:** 0.250 inches all ends Material: Stainless steel flow control device **Style Designator:** Straight through note: to be used for valve bodies of separable sections. **Thread Series Designator:** Unf all ends Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 4820-00-439-6931

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0