NSN 4820-00-439-9807

Safety Relief Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-439-9807

Pipe Size Accommodated:
0.500 inches 2nd end
Thread Direction:
Right-hand 1st end
Bonnet Type:
Inside spring
Bonnet Attachment Method:
Integral
Disk Loading Method:
Spring
Connection Style:
Plain, optional en (pipe) 1st end
Valve Operation Method:
Manual or automatic
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Pressure tight outlet side
Maximum Operating Pressure:
75.0 pounds per square inch single response
Thread Size:
0.500 inches 2nd end
Criticality Code Justification:
Zzzy
Opening Pressure Setting:
75.0 pounds per square inch
Material:
Plastic polytetrafluoroethylene flow control device
Media For Which Designed:
Oxygen, liquid single response
Style Designator:
Angle
Thread Series Designator:
Npt 1st end
Reference Number Differentiating Characteristics:
As differentiated by hydrocarbon decontaminated for liquid-oxygen service
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 4820-00-439-9807

Safety Relief Valve - Page 2 of 2



Fiig:

A046b0