## NSN 4820-00-444-7241

Gate Valve - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/4620-00-444-7241
Pipe Size Accommodated:
2.500 inches
Bonnet Type:
Outside screw-yoke
Bonnet Attachment Method:
Bolted
Valve Operation Method:
Manual
Connection Type:
Butt weld pipe
Features Provided:
Bonnet packing
Valve Size:
2.500 inches
Maximum Operating Pressure And Media For Which Designed:
150.0 pounds per square inch steam
Stem Type:
Rising
Maximum Operating Tempurature And Media For Which Designed:
500.0 degrees fahrenheit steam
Inlet Relationship With Outlet:
Identical
Pressure Class:
150.0 pounds
Special Features:
One piece bonnet for better alignment
Material:
Steel comp 410 stem
Material Specification:
A105, grade 2 assn standard single material response body
Test Data Document:
81349-mil-s-901 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification formation
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Furnished Items And Quantity:
1 handwheel
Specification Or Standard:
D composition
Departure From Cited Document:
As modified by temperature rating
Shelf Life:
N/a

**Unit Of Measure:** 

## NSN 4820-00-444-7241

Gate Valve - Page 2 of 2



Demilitarization:

No

Fiig:

A500a0