Gate Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-444-7241

Pipe Size Accommodated:

2.500 inches

Bonnet Type:

Outside screw-yoke

Bonnet Attachment Method:

Bolted

Valve Operation Method:

Manual

Connection Type:

Butt weld pipe

Features Provided:

Bonnet packing

Valve Size:

2.500 inches

Maximum Operating Pressure And Media For Which Designed:

150.0 pounds per square inch steam

Stem Type:

Rising

Maximum Operating Tempurature And Media For Which Designed:

500.0 degrees fahrenheit steam

Inlet Relationship With Outlet:

Identical

Pressure Class:

150.0 pounds

Special Features:

One piece bonnet for better alignment

Material:

Steel comp 410 stem

Material Specification:

A105, grade 2 assn standard single material response body

Test Data Document:

81349-mil-s-901 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Furnished Items And Quantity:

1 handwheel

Specification Or Standard:

D composition

Departure From Cited Document:

As modified by temperature rating

Shelf Life:

N/a

Unit Of Measure:

NSN 4820-00-444-7241

Gate Valve - Page 2 of 2

Demilitarization:

No

Fiig:

A500a0

