

View Online at <https://aerobasegroup.com/nsn/4820-00-451-0570>

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Flow Control Device:

Poppet

Bonnet Type:

Packing retaining

Disk Loading Method:

Spring

Valve Discharge Flow Rate:

6.0 gallons per minute

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Connection Style:

Gasket sea (boss) 1st end

Valve Operation Method:

Automatic

Connection Type:

Threaded internal boss 1st end

Features Provided:

Pressure tight outlet side

Thready Qty Per Inch (tpi):

16 2nd end

Maximum Operating Pressure:

35.0 pounds per square inch single response

Thread Size:

0.750 inches 2nd end

Opening Pressure Setting:

48.0 pounds per square inch

Outside Diameter Tube Accommodated:

0.500 inches 2nd end

Special Features:

Second end description is inlet

Material:

Steel comp 630 flow control device

Material Specification:

Qq-s-764, type 303-canceled federal specification 3rd material response seat

Media For Which Designed:

Hydraulic fluid, mineral base single response

Style Designator:

Err-090

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A046b0