## NSN 4820-00-459-9447

Check Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4820-00-459-9447

Pipe Size Accommodated:
0.250 inches 2nd end
Thread Class:
3a 1st end
Thread Direction:
Right-hand 1st end
Flow Control Device:
Poppet
Disk Loading Method:
Spring
Connection Style:
Flared (tube) 1st end
Valve Operation Method:
Automatic
Connection Type:
Threaded external tube 1st end
Mounting Position:
Horizontal or vertical
Thready Qty Per Inch (tpi):
18 1st end
Maximum Operating Pressure:
300.0 pounds per square inch single response
Thread Size:
0.562 inches 1st end
Seat Angle:
37.0 degrees 1st end
Outside Diameter Tube Accommodated:
0.375 inches 1st end
Material:
Steel comp 303
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 2 military specification single treatment response
Style Designator:
Straight thru
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4820-00-459-9447

Check Valve - Page 2 of 2



Demi			

No

Fiig:

A530b0

Mil-std (military Standard):

Mil-a-8625 spec.